

Antelope Valley Air Quality Management District

2551 W Avenue H, Lancaster, CA 93536

Phone: 661-723-8070 Email: <u>www.AVAQMD.ca.gov</u>

APPLICATION FOR INTERNAL COMBUSTION ENGINE (I.C.E.) ONLY

PLEASE TYPE OR PRINT

Please refer to Rule 301 for Application Filing Fee.

Section 1: Facility/Owner Infor	mation								
1. Company Name (Permit to be issued to	2. Federal Tax ID #:								
3. Mailing/Billing Address (for above comp	3a. Billing Email Address:								
4. Facility or Business License Name (for e	quipment location):								
5. Facility Address - Location of Equipmen	t (if same as for compa	ny, enter "Same"):	5a. Facility U1	M:	5b. Facility Lat/Long:				
6. Contact Name/Title:	6a. Email Address (i	f same as billing, en	ter "Same"):	6b. Pho	ne:				
7. General Nature of Business:	7a. NAICS C		ode:	7b. 9	7b. SIC Code:				
8. Type of Organization (check one):									
Individual Owner Partnership	Corporation Ut	ility Local Age	ncy State	Agency	Federal Agency				
Section 2: Nature of Applicatio	n								
Application is hereby made for Authority	To Construct (ATC) and	Permit To Operate	(PTO) the follow	wing equi	pment:				
Application is for:		For modification o	odification or change of owner: Company No.:						
New Construction Modification	Change of Owner	Current Permit #:		Fac	ility No.:				
Do you claim Confidentiality of Data? No Yes (attach explanation; specify which information provided isconfidential)									
Section 3: Equipment Informat	ion								
Engine Function: Prime Emergency	/ Low-Use (≤200 hr	s/yr) Portable		-	en a permitted prime unit aintenance or repair)				
Engine Manufacturer:	Engine Model:		Engine Serial Nu	umber:					
Year of Manufacture:		Date Installed:							
Rating (BHP):	Speed (RPM):	•	Number	of Cylind	ers:				
Fuel Type: CARB Diesel Natural Gas Other(specify):	Propane/LPG Ga	asoline Digester	Gas Landfill	Gas					
Alternate Fuel (ifapplicable) specify:		(e.g.	Propane backuj	o for Natu	ural Gas engine)				
Engine Meter: Hour Meter De	dicated Fuel Meter	None							
Cycle Type: two cycle four cycle	2	Combustion Typ	e: Rich Bu	rn l	Lean Burn				
Check all that apply: Naturally Aspira	ted Turbocharged	Aftercooled	Intercoole	d In	jection Timing Retarded				
Air to Fuel Ratio Controller Smoke	Puff Limiter Electro	onic Control Module	Staged Co	mbustion	Direct Fuel Injection				
Pre-Combustion Chamber Piston 9	Scavenging Other	(specify):							
Add-on Emission Control Technology:	No Yes: Attach Mar	ufacturer's specific	ations, CARB Ce	rtificatio	n or Source Test Data				
If yes: Manufacturer:	Model:	Serial #·		CARB	FO#:				

Туре:	CAR NON-CAR I	Particulate Trap	EGR Oxidation	on Catalyst	Other (specify):_				
Charle Date		•							
	a: Exhaust Stack Heig		feet	Exhaust	Stack Diameter:	feet			
Stack is:	horizontal vert	*	weather cap	- 1					
Exnaust V	ent Data: Exhaust	Temp: °F	Maximum E	Exhaust Rate:	CFM				
Section	4: Emissions Da	ata							
Emission	Factor Basis: N	Manufacturer S	Source Test	AVAQMD Defa	ult USEPAAF	P-42			
	(Other (please, spec	cify):						
USEPA Family Name: CARB Executive Order Number: Emissions Data: If no add-on controls are installed, enter "same" in Post Control Max. Emissions column									
							The Sec.		
Pollutant:	Pre-Control Max	x. Emissions:	Units:	Post (Control Max. Emiss	ions:	Units:		
NOx									
NMHC									
со									
PM10									
SOx									
Section	5: Powered Ite	m							
	used to power:								
Electric	cal Generator (Compressor	Pump Pa	int Spray Gun	Conveyor o	r Drive	Fire Pump		
Other(please, specify):								
PERP Reg	istration Number (if a	pplicable):							
Manufact		Model:		Serial #:		Size/Ra	ating:		
, ,									
Section 6: Operation Information Fuel Consumption at Maximum Rated Load: gal/hour SCF/hour MMBtu/hr									
	•		g	al/hour S	CF/hour MM	Btu/hr			
	umption at Maximum		g	al/hour S	CF/hour MM	Btu/hr			
Fuel Consi Typical Lo Facility An	umption at Maximum ad: % of Maxin inual Operation by Qu	n Rated Load: num Rated Load uarters (percent):			CF/hour MM				
Fuel Consi Typical Lo Facility An	umption at Maximum ad: % of Maxin	n Rated Load: num Rated Load uarters (percent):		Expected Op		C Engine:	Weeks/Year		
Fuel Consi Typical Lo Facility An	umption at Maximum ad: % of Maxin nual Operation by Qu n OR% Jan	n Rated Load: num Rated Load uarters (percent):	pr-Jun	Expected Op	perating Hours of I	C Engine:			
Fuel Consi Typical Lo Facility An Uniforn	umption at Maximum ad: % of Maxin nual Operation by Qu n OR% Jan- % Jul-	nRated Load: num Rated Load uarters(percent): -Mar% Al Sep% O	pr-Jun	Expected Op	perating Hours of I	C Engine: Days/Week			
Fuel Const Typical Lo Facility An Uniforn	umption at Maximum ad: % of Maxin nual Operation by Qu n OR% Jan	n Rated Load: num Rated Load uarters(percent): -Mar% A Sep% O	pr-Jun ct-Dec	Expected Op Hou	perating Hours of I	C Engine: Days/Week			
Fuel Const Typical Lo Facility An Uniforn Section	umption at Maximum ad: % of Maximum nual Operation by Qu n OR% Jan- % Jul- 7: Receptor Inf	nRated Load: num Rated Load parters(percent): -Mar% Ap Sep% O formation o the property line	pr-Jun ct-Dec	Expected Op Hou	perating Hours of I rs/Day	C Engine: Days/Week	l Hours		
Fuel Constant Typical Lo Facility An Uniform Section Distance (Name of (umption at Maximum ad: % of Maxin unual Operation by Qu n OR% Jan% Jul-	nRated Load: num Rated Load parters(percent): -Mar% Application of the property line	pr-Jun ct-Dec of closest: Res	Expected Op Hou Sidence:	perating Hours of I rs/Day Business:	C Engine: Days/Week Fotal Annua	l Hours School:		
Fuel Constant Typical Lo Facility An Uniform Section Distance (Name of 0 If the prop	umption at Maximum ad: % of Maximum ad: % of Maximum on a	nRated Load: num Rated Load parters (percent): -Mar % Application of the property line within 1,000 feet of the property feet of	pr-Jun ct-Dec of closest: Res	Expected Op Hou sidence:	perating Hours of I rs/Day Business: ults in the emission	C Engine: Days/Week Fotal Annua	l Hours School:		
Fuel Constant Typical Lo Facility An Uniform Section Distance (Name of (If the propublic not) *Please n	umption at Maximum ad: % of Maximum ad: % of Maximum anual Operation by Qu n OR% Jan% Jul- a 7: Receptor Inf (Feet) and direction to Closest School (K-12): bosed ICE operates we tice will be required anual once, District Staff median	nRated Load: num Rated Load parters (percent): -Mar% Ap Sep% O formation the property line within 1,000 feet of the expense of the lay contact you for	pr-Jun ct-Dec of closest: Res a school site and e applicant (CA or further infor	Expected Op- Housidence: Goperation res H&S §42301.6 mation. Failur	Business: ults in the emission et to provide add	C Engine: Days/Week Total Annua on of hazarda	School:		
Fuel Constant Typical Lo Facility An Uniform Section Distance (Name of (If the propublic not) *Please n requested	umption at Maximum ad: % of Maximum ad:	nRated Load: num Rated Load parters (percent): -Mar % Application of the property line within 1,000 feet of the expense of the proyen to the proyen for may result in designation.	pr-Jun ct-Dec of closest: Res a school site and e applicant (CA or further infor	Expected Op- Housidence: Goperation res H&S §42301.6 mation. Failur	Business: ults in the emission et to provide add	C Engine: Days/Week Total Annua on of hazarda	School:		
Fuel Constant Typical Lo Facility An Uniform Section Distance (Name of (If the propublic note) *Please in requested Section	umption at Maximum ad: % of Maximum ad: % of Maximum anual Operation by Qu n OR% Jan- % Jul- 7: Receptor Inf (Feet) and direction to Closest School (K-12): bosed ICE operates we tice will be required a note, District Staff m d in a timely manne 18: Certification	nRated Load: num Rated Load parters(percent): -Mar% Ap Sep% O formation the property line within 1,000 feet of the expense of the property of the property of the expense of the	pr-Jun ct-Dec of closest: Res a school site and e applicant (CA or further inforelays in the pro	Expected Op- Hou sidence: doperation res H&S §42301.6 mation. Failur cessing of thi	Business: ults in the emission et to provide add	C Engine: Days/Week Total Annua on of hazarda	School:		
Fuel Constant Typical Lo Facility An Uniform Section Distance (Name of (If the propublic note) *Please in requested Section	umption at Maximum ad: % of Maximum ad:	nRated Load: num Rated Load parters(percent): -Mar% Ap Sep% O formation the property line within 1,000 feet of the expense of the property of the property of the expense of the	pr-Jun ct-Dec of closest: Res a school site and e applicant (CA or further inforelays in the pro	Expected Op- Hou sidence: doperation res H&S §42301.6 mation. Failur cessing of thi	Business: ults in the emission et to provide add	C Engine: Days/Week Total Annua on of hazarda	School:		
Fuel Constant Typical Lo Facility An Uniform Section Distance (Name of (If the propublic note) *Please in requested Section	umption at Maximum ad: % of Maximum ad: % of Maximum anual Operation by Qu n OR% Jan- % Jul- 7: Receptor Inf (Feet) and direction to Closest School (K-12): bosed ICE operates we tice will be required a note, District Staff m d in a timely manne 18: Certification	nRated Load: num Rated Load parters(percent): -Mar% Ap Sep% O formation the property line within 1,000 feet of the expense of the property of the property of the expense of the	pr-Jun ct-Dec of closest: Res a school site and e applicant (CA or further inforelays in the pro	Expected Op- Hou sidence: doperation res H&S §42301.6 mation. Failur cessing of thi	Business: ults in the emission et to provide add	C Engine: Days/Week Total Annua on of hazarda	School:		
Fuel Constant Typical Lo Facility An Uniform Section Distance (Name of (If the propublic not) *Please in requested Section I hereby constant to the constan	umption at Maximum ad: % of Maximum ad: % of Maximum anual Operation by Qu n OR% Jan- % Jul- 7: Receptor Inf (Feet) and direction to Closest School (K-12): bosed ICE operates we tice will be required a note, District Staff m d in a timely manne 18: Certification	nRated Load: num Rated Load parters(percent): -Mar% Ap Sep% O formation the property line within 1,000 feet of the expense of the property of the property of the expense of the	pr-Jun ct-Dec of closest: Res a school site and e applicant (CA or further inforelays in the pro	Expected Op- Hou sidence: doperation res H&S §42301.6 mation. Failuicessing of thi	Business: ults in the emission et to provide add	C Engine: Days/Week Total Annua on of hazarda itional info	School:		
Fuel Const Typical Lo Facility An Uniform Section Distance (Name of (If the property public note) *Please note of the property public note of the property public note of the public	umption at Maximum ad: % of Maximum ad: % of Maximum ad: % of Maximum propertion by Quan OR% Jan% Jul	nRated Load: num Rated Load parters(percent): -Mar% Ap Sep% O formation the property line within 1,000 feet of the expense of the property of the property of the expense of the ex	pr-Jun ct-Dec of closest: Res a school site and e applicant (CA or further inforelays in the pro	Expected Op- Hou sidence: doperation res H&S §42301.6 mation. Failuicessing of thi	Business: ults in the emission e to provide add s permit application	C Engine: Days/Week Total Annua on of hazarda itional info	School: Ous air pollutants, a Dermation as		
Fuel Const Typical Lo Facility An Uniform Section Distance (Name of (If the property public note) *Please note of the property public note of the property public note of the public	umption at Maximum ad: % of Maximum ad:	nRated Load: num Rated Load parters(percent): -Mar% Ap Sep% O formation the property line within 1,000 feet of the expense of the property of the property of the expense of the ex	pr-Jun ct-Dec of closest: Res a school site and e applicant (CA or further inforelays in the pro	Expected Op- Hou sidence: doperation res H&S \$42301.6 mation. Failui cessing of thi correct. Signature of F	Business: ults in the emission e to provide add s permit application	C Engine: Days/Week Total Annua on of hazarda itional info	School: Ous air pollutants, a Dermation as		
Fuel Const Typical Lo Facility An Uniform Section Distance (Name of (If the property public note) *Please note of the property public note of the property public note of the public	umption at Maximum ad: % of Maximum ad:	nRated Load: num Rated Load parters(percent): -Mar% Ap Sep% O formation the property line within 1,000 feet of the expense of the property of the property of the expense of the ex	pr-Jun ct-Dec of closest: Res a school site and e applicant (CA or further information in the pro- rein is true and content in the pro-	Expected Op- Hou sidence: doperation res H&S \$42301.6 mation. Failui cessing of thi correct. Signature of F	Business: ults in the emission e to provide add s permit application	C Engine: Days/Week Total Annua on of hazarda itional info	School: Ous air pollutants, a Dermation as		



ANTELOPE VALLEY AIR QUALITY MANAGEMENT DISTRICT

2551 West Ave H, Lancaster, CA 93536 Phone (661)723-8070 www.avaqmd.ca.gov

APPLICATION FOR INTERNAL COMBUSTION ENGINE (I.C.E.) ONLY

Application Submittal Instructions

- 1) Submit completed application to engineering@avaqmd.ca.gov
- 2) Pay the corresponding application fee via check or credit card

Payment by check:

Make check payable to: Antelope Valley AQMD Mail the check with a copy of this completed application to: Antelope Valley AQMD 2551 West Ave H, Lancaster, CA 93536

Payment by credit card:

Pay online at our website: http://www.avaqmd.ca.gov Click "Pay Fees" Please note a surcharge applies for all credit card payments.

If payment is made online via credit card, please email the receipt to engineering@avaqmd.ca.gov.

Should you have any additional questions, please, do not hesitate to contact the permitting division at 661-723-8070, or via email at engineering@avaqmd.ca.gov.