



## *Antelope Valley Air Quality Management District*

### Dust Control Plan Guidance

Please see Rule 302 for Plan Fee. Fee is due at the time of submission.

Complete Dust Control Plan (DCP). The DCP should describe reasonably foreseeable or planned, as well as existing, activities on the described site. A DCP can be used for all applicable operations at a given site and can be the reference for mitigation measures for each applicable operation or project at the site.

The District will review any submitted Dust Control Plan (DCP) for completeness and adequacy in comparison with this guidance. The District expects to review a submitted DCP in less than 10 working days. The District will provide written notification of approval or disapproval, to the Lead Agency for the project (if known). If no disapproval is received within 30 days of submittal, the DCP shall be deemed approved. An approved DCP is an enforceable public document.

If a significant change occurs to the project or operations covered by the DCP, please notify the District and submit an appropriately modified DCP within 30 days of the change.

### ACTIVE OPERATION DUST CONTROL PLAN GUIDANCE

Please see Rule 302 for Plan Fee. Fee is due at the time of submission.

Complete Active Operation Dust Control Plan or Active Operation Dust Control Plan-Renewable Energy.

Any Active Operation, as defined in Rule 302, requiring a DCP shall update and resubmit the Active Operation DCP **annually** as dust generating activities do not cease upon termination of construction activities.

Required signage will be evaluated on an annual basis. Signage must be updated with current 24-hour contact information. If no change is necessary and signage is in good condition, it may remain until deemed necessary to replace by AVAQMD inspection.

Submittal of updates to the Active Operation Dust Control Plan or Active Operation Dust Control Plan-Renewable Energy, signage (if necessary) and renewal fee will be due annually by January 31.